



LED Down Lights  
LED 室內照明

嵌燈



嵌燈 LED Down Lights  
LED 室內照明



- **L 010309** HIGH BRIGHTNESS  
MR16 3W LED 2in1 RECESSED/DOWN LIGHT

電壓 Input power:..... 100V - 240V (50/60Hz)  
AC/DC 12V  
功率 Power consumption:.....6W  
重量 Weight:.....510 g ± 3%  
尺寸 Dimensions:.....135 x245x95 mm  
顏色 Housing color:.....White

3000K 40°	
1m	1787 lux
2m	447 lux
3m	199 lux
4m	112 lux
5m	72 lux
3000 5600 = 1 1	
28 00K 40°	
1m	1657 lux
2m	414 lux
3m	184 lux
4m	104 lux
5m	66 lux
2800 5200 = 1 3	

■ J 010309 X6 LED SERIES
  
- **L 010310** HIGH BRIGHTNESS  
MR16 3W LED 3in1 RECESSED/DOWN LIGHT

電壓 Input power:..... 100V - 240V (50/60Hz)  
AC/DC 12V  
功率 Power consumption:.....9W  
重量 Weight:.....725 g ± 3%  
尺寸 Dimensions:.....135 x335x95 mm  
顏色 Housing color:.....White

30 00K 40°	
1m	2706 lux
2m	677 lux
3m	301 lux
4m	169 lux
5m	108 lux
3000 5600 = 1 1	
28 00K 40°	
1m	2375 lux
2m	594 lux
3m	264 lux
4m	148 lux
5m	95 lux
2800 5200 = 1 3	

■ J 010310 X6 LED SERIES
  
- **L 010311** HIGH BRIGHTNESS  
MR16 3W LED 4in1 RECESSED/DOWN LIGHT

電壓 Input power:..... 100V - 240V (50/60Hz)  
AC/DC 12V  
功率 Power consumption:.....12W  
重量 Weight:.....970 g ± 3%  
尺寸 Dimensions:.....245x245 x95 mm  
顏色 Housing color:.....White

30 00K 40°	
1m	3608 lux
2m	902 lux
3m	401 lux
4m	226 lux
5m	144 lux
3000 5600 = 1 1	
28 00K 40°	
1m	3260 lux
2m	815 lux
3m	362 lux
4m	204 lux
5m	130 lux
2800 5200 = 1 3	

■ J 010311 X6 LED SERIES

LED Down Lights  
LED 室內照明

嵌燈



L010211 115x225 mm



L010212 115 x220mm



L010213 230x230mm

**L010211** HIGH COLOR RENDERING

MR16 4W LED 2 IN 1 RECESSED/DOWN LIGHT

電壓 Input power: .....	AC100V-240V(50/60HZ)	28 00K 40°	
AC/DC12V	1m	1688 lux	
功率 Power consumption: .....	0.8W	2m	431 lux
重量 Weight: .....	485g ± 3%	3m	198 lux
尺寸 Dimensions: .....	135 x245x95mm	4m	104 lux
顏色 Housing color: .....	White	5m	58 lux

**L010212** HIGH COLOR RENDERING

MR16 4W LED 3 IN 1 RECESSED/DOWN LIGHT

電壓 Input power: .....	AC100V-240V(50/60HZ)	28 00K 40°	
AC/DC12V	1m	2343 lux	
功率 Power consumption: .....	1.2W	2m	575 lux
重量 Weight: .....	690 g ± 3%	3m	278 lux
尺寸 Dimensions: .....	135x335x95mm	4m	145 lux
顏色 Housing color: .....	White	5m	76 lux

**L010213** HIGH COLOR RENDERING

MR16 4W LED 4 IN 1 RECESSED/DOWN LIGHT

電壓 Input power: .....	AC100V-240V(50/60HZ)	28 00K 40°	
AC/DC12V	1m	2905 lux	
功率 Power consumption: .....	1.6W	2m	721 lux
重量 Weight: .....	920 g ± 3%	3m	336 lux
尺寸 Dimensions: .....	245x245x95mm	4m	182 lux
顏色 Housing color: .....	White	5m	93 lux



L200601 95 x95 mm



L200602 125 x125 mm



L200603 160 x160 mm



L200604 195 x195 mm

**L200601** HIGH BRIGHTNESS

4W LED (2X2 ARRAY) RECESSED/DOWN LIGHT

電壓 Input power: .....	AC100V-240V(50/60HZ)	6000 K 80°	
功率 Power consumption: .....	4W	1m	146 lux
重量 Weight: .....	250 g ± 3%	2m	37 lux
尺寸 Dimensions: .....	107 x107x60mm	3m	16 lux
顏色 Housing color: .....	White	4m	9 lux
		5m	6 lux

**L200602** HIGH BRIGHTNESS

9W LED (3X3 ARRAY) RECESSED/DOWN LIGHT

電壓 Input power: .....	AC100V-240V(50/60HZ)	6000 K 80°	
功率 Power consumption: .....	9W	1m	334 lux
重量 Weight: .....	470 g ± 3%	2m	84 lux
尺寸 Dimensions: .....	140 x140x65mm	3m	37 lux
顏色 Housing color: .....	White	4m	21 lux
		5m	13 lux

**L200603** HIGH BRIGHTNESS

16W LED (4X4 ARRAY) RECESSED/DOWN LIGHT

電壓 Input power: .....	AC100V-240V(50/60HZ)	6000 K 80°	
功率 Power consumption: .....	16W	1m	560 lux
重量 Weight: .....	680 g ± 3%	2m	140 lux
尺寸 Dimensions: .....	175 x175x65mm	3m	62 lux
顏色 Housing color: .....	White	4m	35 lux
		5m	22 lux

**L200604** HIGH BRIGHTNESS

25W LED (5X5 ARRAY) RECESSED/DOWN LIGHT

電壓 Input power: .....	AC100V-240V(50/60HZ)	6000 K 80°	
功率 Power consumption: .....	25W	1m	894 lux
重量 Weight: .....	930 g ± 3%	2m	223 lux
尺寸 Dimensions: .....	215 x215x65mm	3m	99 lux
顏色 Housing color: .....	White	4m	56 lux
		5m	36 lux



# LED Down Lights LED 室內照明

## 嵌燈



L010207 115x225mm



L010208 115x320mm



L010209 230x230mm

### L010207 HIGH COLOR RENDERING

#### MR16 4W LED 2 in 1 RECESSED/DOWN LIGHT

電壓 Input power: ..... 100V - 240V (50/60Hz)  
 功率 Power consumption: .....8W  
 重量 Weight: .....580 g ± 3%  
 尺寸 Dimensions: .....130 x237x90mm  
 顏色 Housing color: .....White

28 00K 25 °		28 00K 40 °	
1m	5062 lux	1m	1815 lux
2m	1266 lux	2m	454 lux
3m	562 lux	3m	202 lux
4m	316 lux	4m	113 lux
5m	202 lux	5m	73 lux

2800 6000 ≒ 1 3

### L010208 HIGH COLOR RENDERING

#### MR16 4W LED 3 in 1 RECESSED/DOWN LIGHT

電壓 Input power: ..... 100V - 240V (50/60Hz)  
 功率 Power consumption: .....12W  
 重量 Weight: .....850g ± 3%  
 尺寸 Dimensions: .....130 x336x90mm  
 顏色 Housing color: .....White

28 00K 25 °		28 00K 40 °	
1m	6951 lux	1m	2565 lux
2m	1738 lux	2m	641 lux
3m	772 lux	3m	285 lux
4m	434 lux	4m	160 lux
5m	278 lux	5m	103 lux

2800 6000 ≒ 1 3

### L010209 HIGH COLOR RENDERING

#### MR16 4W LED 4 in 1 RECESSED/DOWN LIGHT

電壓 Input power: ..... 100V - 240V (50/60Hz)  
 功率 Power consumption: .....16W  
 重量 Weight: .....1200 g ± 3%  
 尺寸 Dimensions: .....242x242x90mm  
 顏色 Housing color: .....White

28 00K 25 °		28 00K 40 °	
1m	6772 lux	1m	3107 lux
2m	1693 lux	2m	777 lux
3m	752 lux	3m	345 lux
4m	423 lux	4m	194 lux
5m	271 lux	5m	124 lux

2800 6000 ≒ 1 3



L060107 115x225mm



L060109 115x320mm



L060111 230x230mm

## 嵌燈

# LED Down Lights LED 室內照明

### L060107 HIGH COLOR RENDERING & BRIGHTNESS

#### AR70 7W LED 2in1 RECESSED/DOWN LIGHT

電壓 Input power: .....100V - 240V (50/60Hz)  
 功率 Power consumption: .....14W  
 重量 Weight: .....1300 g ± 3%  
 尺寸 Dimensions: .....130 x273x90mm  
 顏色 Housing color: .....White

28 00K 40 °	
1m	2880 lux
2m	720 lux
3m	320 lux
4m	180 lux
5m	115 lux

2800 6000 ≒ 1 3

### L060109 HIGH COLOR RENDERING & BRIGHTNESS

#### AR70 7W LED 3in1 RECESSED/DOWN LIGHT

電壓 Input power: .....100V - 240V (50/60Hz)  
 功率 Power consumption: .....21W  
 重量 Weight: .....1700 g ± 3%  
 尺寸 Dimensions: .....130 x336x90mm  
 顏色 Housing color: .....White

28 00K 40 °	
1m	4400 lux
2m	1100 lux
3m	489 lux
4m	275 lux
5m	176 lux

2800 6000 ≒ 1 3

### L060111 HIGH COLOR RENDERING & BRIGHTNESS

#### AR70 7W LED 4in1 RECESSED/DOWN LIGHT

電壓 Input power: .....100V - 240V (50/60Hz)  
 功率 Power consumption: .....28W  
 重量 Weight: .....2300 g ± 3%  
 尺寸 Dimensions: .....242x242 x90mm  
 顏色 Housing color: .....White

28 00K 40 °	
1m	6000 lux
2m	1500 lux
3m	667 lux
4m	375 lux
5m	240 lux

2800 6000 ≒ 1 3

# LED Down Lights LED 室內照明

嵌燈



■ L060204 HIGH COLOR RENDERING

AR70 7W X6 LED RECESSED/DOWN LIGHT

電壓 Input power: ..... 100V - 240V (50/60Hz)  
 功率 Power consumption: ..... 7W  
 重量 Weight: ..... 450 g ± 3%  
 尺寸 Dimensions: ..... 130 x130x90mm  
 顏色 Housing color: ..... White

28 00K 40 °		28 00K 60 °	
1m	1500 lux	1m	750 lux
2m	375 lux	2m	188 lux
3m	167 lux	3m	83 lux
4m	94 lux	4m	47 lux
5m	60 lux	5m	30 lux

2800 6000 = 1 3

■ L060209 HIGH COLOR RENDERING

AR70 7W X6 LED 2 in 1 RECESSED/DOWN LIGHT

電壓 Input power: ..... 100V - 240V (50/60Hz)  
 功率 Power consumption: ..... 14W  
 重量 Weight: ..... 1200 g ± 3%  
 尺寸 Dimensions: ..... 130 x273x90mm  
 顏色 Housing color: ..... White

28 00K 40 °		28 00K 60 °	
1m	2800 lux	1m	1500 lux
2m	700 lux	2m	375 lux
3m	311 lux	3m	167 lux
4m	175 lux	4m	94 lux
5m	112 lux	5m	60 lux

2800 6000 = 1 3

■ L060211 HIGH COLOR RENDERING

AR70 7W X6 LED 3 in 1 RECESSED/DOWN LIGHT

電壓 Input power: ..... 100V - 240V (50/60Hz)  
 功率 Power consumption: ..... 21W  
 重量 Weight: ..... 1600 g ± 3%  
 尺寸 Dimensions: ..... 130 x336x90mm  
 顏色 Housing color: ..... White

2800K 40 °		2800K 60 °	
1m	4300 lux	1m	2200 lux
2m	1075 lux	2m	550 lux
3m	478 lux	3m	244 lux
4m	269 lux	4m	138 lux
5m	172 lux	5m	88 lux

2800 6000 = 1 3

■ L060212 HIGH COLOR RENDERING

AR70 7W X6 LED 4 in 1 RECESSED/DOWN LIGHT

電壓 Input power: ..... 100V - 240V (50/60Hz)  
 功率 Power consumption: ..... 28W  
 重量 Weight: ..... 2200 g ± 3%  
 尺寸 Dimensions: ..... 242x242x90mm  
 顏色 Housing color: ..... White

28 00K 40 °		28 00K 60 °	
1m	5700 lux	1m	3000 lux
2m	1425 lux	2m	750 lux
3m	633 lux	3m	333 lux
4m	356 lux	4m	188 lux
5m	228 lux	5m	120 lux

2800 6000 = 1 3

# LED Down Lights LED 室內照明

ADO Optronics Corporation

嵌燈



■ L090203 HIGH BRIGHTNESS

AR111 7W LED RECESSED/DOWN LIGHT

電壓 Input power: ..... 100V - 240V (50/60Hz)  
 AC 110V/220V Dimmable  
 AC/DC 12V  
 功率 Power consumption: ..... 7W  
 重量 Weight: ..... 650 g ± 3%  
 尺寸 Dimensions: ..... 205 x205x85mm  
 顏色 Housing color: ..... White

3000K 45 °		3000K 60 °	
1m	2300 lux	1m	940 lux
2m	575 lux	2m	235 lux
3m	256 lux	3m	104 lux
4m	144 lux	4m	59 lux
5m	92 lux	5m	38 lux

3000 5600 = 1 1

■ L090204 HIGH BRIGHTNESS

AR111 7W LED 2in1 RECESSED/DOWN LIGHT

電壓 Input power: ..... 100V - 240V (50/60Hz)  
 AC 110V/220V Dimmable  
 AC DC 12V  
 功率 Power consumption: ..... 14W  
 重量 Weight: ..... 1100 g ± 3%  
 尺寸 Dimensions: ..... 350 x205x85mm  
 顏色 Housing color: ..... White

3000K 45 °		3000K 60 °	
1m	4500 lux	1m	1800 lux
2m	1125 lux	2m	450 lux
3m	500 lux	3m	200 lux
4m	281 lux	4m	113 lux
5m	180 lux	5m	72 lux

3000 5600 = 1 1

■ L090205 HIGH BRIGHTNESS

AR111 7W LED 3in1 RECESSED/DOWN LIGHT

電壓 Input power: ..... 100V - 240V (50/60Hz)  
 AC 110V/220V Dimmable  
 AC/DC 12V  
 功率 Power consumption: ..... 21W  
 重量 Weight: ..... 1500 g ± 3%  
 尺寸 Dimensions: ..... 495 x205x85mm  
 顏色 Housing color: ..... White

30 00K 45 °		30 00K 60 °	
1m	6500 lux	1m	2600 lux
2m	1625 lux	2m	650 lux
3m	722 lux	3m	289 lux
4m	406 lux	4m	163 lux
5m	260 lux	5m	104 lux

3000 5600 = 1 1

■ L090206 HIGH BRIGHTNESS

AR111 7W LED 4in1 RECESSED/DOWN LIGHT

電壓 Input power: ..... 100V - 240V (50/60Hz)  
 AC 110V/220V Dimmable  
 AC/DC 12V  
 功率 Power consumption: ..... 28W  
 重量 Weight: ..... 2200 g ± 3%  
 尺寸 Dimensions: ..... 350x350x85mm  
 顏色 Housing color: ..... White

30 00K 45 °		30 00K 60 °	
1m	8400 lux	1m	3400 lux
2m	2100 lux	2m	850 lux
3m	933 lux	3m	378 lux
4m	525 lux	4m	213 lux
5m	336 lux	5m	136 lux

3000 5600 = 1 1



# LED Down Lights LED 室內照明

## 嵌燈

## 嵌燈

# LED Down Lights LED 室內照明



L130104  
L130206 170x170mm



L130105  
L130203 315x170mm



L130106  
L130204 465x170mm



L130107  
L130205 315x315mm

■ L130104 HIGH COLOR RENDERING & BRIGHTNESS

AR111 10W LED RECESSED/DOWN LIGHT

電壓 Input power: ..... 100V -240V (50/60Hz)  
AC/DC 12V  
功率 Power consumption: 10W  
重量 Weight: .....600 g ± 3%  
尺寸 Dimensions: .....205 x205x85 mm  
顏色 Housing color: .....White

	28 00K25°	28 00K40°	28 00K60°
1m	7000lux	2500lux	1450lux
2m	1750lux	625lux	363lux
3m	778lux	278lux	161lux
4m	438lux	156lux	91lux
5m	280lux	100lux	58lux

2800 6000=1.3

■ L130206 X6 LED SERIES HIGH COLOR RENDERING & BRIGHTNESS

	28 00K40°	28 00K60°
1m	2100lux	700lux
2m	1750lux	1750lux
3m	778lux	778lux
4m	438lux	438lux
5m	280lux	280lux

2800 6000=1.3

■ L130105 HIGH COLOR RENDERING & BRIGHTNESS

AR111 10W LED 2in1 RECESSED/DOWN LIGHT

電壓 Input power: ..... 100V -240V (50/60Hz)  
AC/DC 12V  
功率 Power consumption: 20W  
重量 Weight: .....1000 g ± 3%  
尺寸 Dimensions: .....205 x350x85 mm  
顏色 Housing color: .....White

	28 00K25°	28 00K40°	28 00K60°
1m	12000lux	4800lux	2800lux
2m	3000lux	1200lux	700lux
3m	1333lux	533lux	311lux
4m	750lux	300lux	175lux
5m	480lux	192lux	112lux

2800 6000=1.3

■ L130203 X6 LED SERIES HIGH COLOR RENDERING & BRIGHTNESS

	28 00K40°	28 00K60°
1m	3570lux	1190lux
2m	893lux	298lux
3m	397lux	132lux
4m	223lux	74lux
5m	143lux	48lux

2800 6000=1.3

■ L130106 HIGH COLOR RENDERING & BRIGHTNESS

AR111 10W LED 3in1 RECESSED/DOWN LIGHT

電壓 Input power: ..... 100V -240V (50/60Hz)  
AC/DC 12V  
功率 Power consumption: 30W  
重量 Weight: .....1400 g ± 3%  
尺寸 Dimensions: .....495 x205x85 mm  
顏色 Housing color: .....White

	28 00K25°	28 00K40°	28 00K60°
1m	20800lux	7400lux	4350lux
2m	5200lux	1875lux	1088lux
3m	2311lux	822lux	483lux
4m	1300lux	463lux	272lux
5m	832lux	296lux	174lux

2800 6000=1.3

■ L130204 X6 LED SERIES HIGH COLOR RENDERING & BRIGHTNESS

	28 00K40°	28 00K60°
1m	5355lux	1785lux
2m	1339lux	446lux
3m	595lux	198lux
4m	335lux	112lux
5m	214lux	71lux

2800 6000=1.3

■ L130107 HIGH COLOR RENDERING & BRIGHTNESS

AR111 10W LED 4in1 RECESSED/DOWN LIGHT

電壓 Input power: ..... 100V -240V (50/60Hz)  
AC/DC 12V  
功率 Power consumption: 40W  
重量 Weight: .....2100 g ± 3%  
尺寸 Dimensions: .....350x350 x85 mm  
顏色 Housing color: .....White


	28 00K25°	28 00K40°	28 00K60°
1m	21100lux	11921lux	5800lux
2m	6775lux	2980lux	1450lux
3m	3011lux	1325lux	644lux
4m	1694lux	7458lux	363lux
5m	1084lux	477lux	232lux

2800 6000=1.3


■ L130205 X6 LED SERIES HIGH COLOR RENDERING & BRIGHTNESS

	28 00K40°	28 00K60°
1m	7140lux	2380lux
2m	1785lux	595lux
3m	793lux	264lux
4m	446lux	149lux
5m	286lux	95lux

2800 6000=1.3



L190103 170x170mm



L190104 315x170mm

■ L190103 HIGH COLOR RENDERING & BRIGHTNESS

AR111 16W LED RECESSED/DOWN LIGHT

電壓 Input power: . . . . . 100V -240V (50/60Hz)  
功率 Power consumption: . . 16W .  
重量 Weight: . . . . . 1300 g ± 3% . . . . .  
尺寸 Dimensions: . . . . . 205x205 x85 mm . . . . .  
顏色 Housing color: . . . . . White . . . . .

	2800K 25°	2800K 0.4
1M	11000 lux	3300 lux
2M	2750 lux	825 lux
3M	1222 lux	367 lux
4M	688 lux	206 lux
5M	440 lux	132 lux

2800 6000=1.3

■ L190104 HIGH COLOR RENDERING & BRIGHTNESS

AR111 16W LED 2in1 RECESSED/DOWN LIGHT

電壓 Input power: . . . . . 100V -240V (50/60Hz)  
功率 Power consumption: . . 32W .  
重量 Weight: . . . . . 1900 g ± 3% . . . . .  
尺寸 Dimensions: . . . . . 205x350 x85 mm . . . . .  
顏色 Housing color: . . . . . White . . . . .

	2800K 5.2	2800K 0.4
1M	20900 lux	6270 lux
2M	5225 lux	1568 lux
3M	2322 lux	697 lux
4M	1306 lux	392 lux
5M	836 lux	251 lux

2800 6000=1.3

